







design: Jacek Ryń

### Connections:







### We recommend:


REG 2 heating element



### Available sizes:







## Specifications:

A	$\begin{matrix} B \\ \leftrightarrow \end{matrix}$	(w)	D [mm]	E [mm]	F [mm]	[dm³]	(kg)	Product Configuration Codes. 3
1300	390	600	250	1100	60	6,77	18,58	WLCAN130039
1600	390	800	250	1400	60	7,69	21,03	WLCAN160039
1900	390	800	250	1700	60	8,56	24,13	WLCAN190039


www.termaheat.pl 20160107wolka page 1 of 4

# Cane E










G1/2"



A — Height B — Width C1-C5 — Distance between pipe centres D — Horizontal distance between mounting bracket centres E — Vertical distance between mounting brackets F — Distance between a mounting bracket and the bottom of the radiator

Collector:

Profile:










www.termaheat.pl 20160108wolka page 2 of 4









Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, product codes should include the fully completed configuration part. The configuration code part should be placed after the main product code. The main product code and configuration part will appear as shown in the example below:

### Construction of electric heater configuration code

WLALE054030

K916E1DRYM

PRODUCT CODE (located in the table for the product)

CONFIGURATION CODE (supplemented by hand)

#### Configuration



Package code Colour code Connection code Heating element code Type of heating element cable code K-carton box

### Zinc powder primer

**C** – Code of zinc powder primer is an extra processes


WLALE054030 K916SX C — Extra processes or additions code

www.termaheat.pl 20160108wolka page 3 of 4









### Legend



www.termaheat.pl 20160108wolka page 4 of 4