


Triga



Colour included
in the price



Triga 1900 x 380
colour: van gogh

Integrated thermostatic valve with immersion tube, angled, right, chrome
SLIM thermostatic head, chrome
KTX 3 heating element, chrom




Colour included in the price

design: Terma

Connections:


A \updownarrow 560÷1900:



A \updownarrow 560÷610:






A \updownarrow 900÷1900:



Specifications:





Working pressure: 0,8 MPa Maximum operating temperature: 95°C

A \updownarrow	B \leftrightarrow	C1 [mm]	C2 [mm]	C3 [mm]	C4 [mm]	75 [W]	65 [W]	20°C [W]	 [W]	D [mm]	E [mm]	F [mm]	 [dm³]	 [kg]	Product Code	Configuration codes: 6
560	480	50	450	500	480	356	192	400	450	380	90	5,72	9,82	WGTRG056048		
560	680	50	650	500	680	504	272	600	650	380	90	8,01	13,81	WGTRG056068		
560	880	50	850	500	880	652	352	600	850	380	90	10,31	17,79	WGTRG056088		
560	1080	50	1050	500	1080	800	431	800	1050	380	90	12,60	21,78	WGTRG056108		
560	1280	50	1250	500	1280	948	511	1000	1250	380	90	14,90	25,76	WGTRG056128		
610	480	50	450	550	480	391	210	400	450	430	90	6,22	10,59	WGTRG061048		
610	680	50	650	550	680	554	298	600	650	430	90	8,71	14,88	WGTRG061068		
610	880	50	850	550	880	717	385	800	850	430	90	11,21	19,17	WGTRG061088		
610	1080	50	1050	550	1080	880	473	800	1050	430	90	13,70	23,47	WGTRG061108		
610	1280	50	1250	550	1280	1043	560	1000	1250	430	90	16,19	27,76	WGTRG061128		
900	380	50	350	840	380	459	242	400	350	720	90	7,29	12,00	WGTRG090038		
900	480	50	450	840	480	580	306	600	450	720	90	9,11	15,04	WGTRG090048		
900	580	50	550	840	580	701	370	800	550	720	90	10,94	18,08	WGTRG090058		
900	680	50	650	840	680	821	433	800	650	720	90	12,76	21,11	WGTRG090068		
1300	380	50	350	1240	380	652	339	600	350	1120	90	10,48	16,91	WGTRG130038		
1300	480	50	450	1240	480	824	429	800	450	1120	90	13,10	21,18	WGTRG130048		
1300	580	50	550	1240	580	996	518	1000	550	1120	90	15,72	25,44	WGTRG130058		
1300	680	50	650	1240	680	1168	608	1200	650	1120	90	18,34	29,70	WGTRG130068		
1700	380	50	350	1640	380	850	437	800	350	1520	90	13,67	21,82	WGTRG170038		
1700	480	50	450	1640	480	1074	552	1000	450	1520	90	17,09	27,31	WGTRG170048		
1700	580	50	550	1640	580	1298	667	1200	550	1520	90	20,51	32,81	WGTRG170058		
1700	680	50	650	1640	680	1521	781	1500	650	1520	90	23,93	38,30	WGTRG170068		
1900	380	50	350	1840	380	961	492	1000	350	1720	90	15,26	24,28	WGTRG190038		
1900	480	50	450	1840	480	1202	615	1200	450	1720	90	19,08	30,38	WGTRG190048		
1900	580	50	550	1840	580	1442	737	1500	550	1720	90	22,90	36,49	WGTRG190058		
1900	680	50	650	1840	680	1682	860	1500	650	1720	90	26,72	42,59	WGTRG190068		



Colour included
in the price


Available sizes:






Colour included in the price


ZX




SX




Z1




YP




Z8




YL




AX



PX




LX




A — Height B — Width C1-C5 — Distance between pipe centres D — Horizontal distance between mounting bracket centres
E — Vertical distance between mounting brackets F — Distance between a mounting bracket and the bottom of the radiator

Collector:





Profile:






Colour included
in the price




A — Height B — Width C1-C5 — Distance between pipe centres D — Horizontal distance between mounting bracket centres
E — Vertical distance between mounting brackets F — Distance between a mounting bracket and the bottom of the radiator

Collector:



Profile:





Colour included
in the price

Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, product codes should include the fully completed configuration part. The configuration code part should be placed after the main product code. The main product code and configuration part will appear as shown in the example below:

The construction of a water and dual fuel radiator product and configuration code:

WGALE054030

K916SX

PRODUCT CODE
(located in the table for the product)

CONFIGURATION CODE
(supplemented by hand)

Configuration

K 916 SX

Package code Colour code Connection code
K – carton box

Zinc powder primer

C – Code of zinc powder primer is an extra processes

WLALE054030 K916SX **C** — *Extra processes or additions code*



Colour included
in the price

Legend



Available in chrome finish.



Radiator available in a “water” version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes prefilled with a ‘heating medium’ and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator.
The icon shows the flow and return connections for the radiator as well as the thermo-
static valve and heating element position if applicable.



Optional connections available for this radiator.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.