

Dexter Pro One




The radiator has a built-in ONE heating element.



design: Darek Berus, Daniel Dawidowski

Connections:



We recommend:


ZIP H hanger



Zinc primer



Available sizes:



Specifications:

Working pressure: 0,8 MPa Maximum operating temperature: 82°C

A ↓	B ↔	C1 [mm]	75/65/20°C [W]	55/45/20°C [W]	[W]	D [mm]	E [mm]	F [mm]	[dm³]	[kg]	Product Code Configuration codes: 3
860	400	50	326	173	300	350	720	70	2,55	7,43	WZDPN086040
860	500	50	408	216	400	450	720	70	2,81	8,63	WZDPN086050
860	600	50	488	259	600	550	720	70	3,08	9,83	WZDPN086060
1220	400	50	429	232	400	350	1080	70	3,66	10,25	WZDPN122040
1220	500	50	536	289	600	450	1080	70	4,04	11,97	WZDPN122050
1220	600	50	645	348	600	550	1080	70	4,42	13,68	WZDPN122060
1760	400	50	601	323	600	350	1620	70	5,40	14,76	WZDPN176040
1760	500	50	751	403	800	450	1620	70	5,96	17,33	WZDPN176050
1760	600	50	900	483	1000	550	1620	70	6,53	19,91	WZDPN176060

Included components: Radiator (water version) sold with two angled lockshield valves with internal thread. Set includes NOBLE thermostatic head in chrome.


Dexter Pro One





The radiator has a built-in
ONE heating element.



Z8




Z1



A — Height B — Width C1-C5 — Distance between pipe centres D — Horizontal distance between mounting bracket centres
E — Vertical distance between mounting brackets F — Distance between a mounting bracket and the bottom of the radiator

Collector:

Profile:





Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, product codes should include the fully completed configuration part. The configuration code part should be placed after the main product code. The main product code and configuration part will appear as shown in the example below:

The Construction of the product and configuration code for a radiator with the built-in heating element ONE

WWBNN076050

PRODUCT CODE
(located in the table for the product)

K916E1W

CONFIGURATION CODE
(supplemented by hand)

Configuration

K 916 E1 P

Package code Colour code Connection code Type of heating element cable code
K – carton box

Zinc powder primer

C – Code of zinc powder primer is an extra processes

WLALE054030 K916SX **C** — *Extra processes or additions code*

Dexter Pro One

The radiator has a built-in
ONE heating element.



Legend



Available in chrome finish.




Radiator available in a “water” version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes prefilled with a ‘heating medium’ and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator.
The icon shows the flow and return connections for the radiator as well as the thermo-
static valve and heating element position if applicable.



Optional connections available for this radiator.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.